L Number	Hits	Search Text	DB	Time stamp
-	0	WO-147296-\$.did.	USPAT;	2004/09/10 10:04
			US-PGPUB:	
			EPO; JPO;	
			DERWENT;	
		MO 0000500 # 171	IBM_TDB	000 4/00/40 40 04
-	2	WO-9939528-\$.did.	USPAT;	2004/09/10 10:01
			US-PGPUB; EPO; JPO;	
			DERWENT:	
			IBM_TDB	
-	5	(TIA or EIA) adj3 IS-856	USPAT;	2004/09/10 11:02
			US-PGPUB;	
			EPO: JPO;	
			DERWENT;	
	454		IBM_TDB	
-	154	(wireless or cellular or (mobile or portal or portable) adj device)	USPAT;	2004/09/10 11:06
		and IS-856	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	32	((wireless or cellular or (mobile or portal or portable) adj	USPAT;	2004/09/13 13:36
		device) and IS-856) and (@AD<20010629 or	US-PGPUB;	200007 10 10.00
		@PRAD<20010629 or @RLAD<20010629)	EPO; JPO;	
			DERWENT;	
		((toingle on a little of the l	IBM_TDB	
-	1	(((wireless or cellular or (mobile or portal or portable) adj	USPAT;	2004/09/10 11:09
		device) and IS-856) and (@AD<20010629 or	US-PGPUB;	
		@PRAD<20010629 or @RLAD<20010629)) and session near5 configuration	EPO; JPO; DERWENT;	
		near configuration	IBM_TDB	
-	413	(wireless or cellular or (mobile or portal or portable) adj device)	USPAT;	2004/09/10 12:17
		and session near5 configuration	US-PGPUB;	2004/03/10 12.17
			EPO; JPO;	
			DERWENT;	
	070	// · · · · · · · · · · · · · · · · · ·	IBM_TDB	
-	276	((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and	USPAT;	2004/09/14 13:38
	-	(@AD<20010629 or @PRAD<20010629 or	US-PGPUB;	
		@RLAD<20010629)	EPO; JPO; DERWENT;	
		G. (2.15 200 10020)	IBM TDB	
_	1	(((wireless or cellular or (mobile or portal or portable) adj	USPAT;	2004/09/10 11:12
		device) and IS-856) and (@AD<20010629 or	US-PGPUB;	
		@PRAD<20010629 or @RLAD<20010629)) and session	EPO; JPO;	
		near5 configur\$6	DERWENT;	
		Wwireless or cellular as to a bit a second	IBM_TDB	
-	4	(((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and	USPAT;	2004/09/10 11:10
		(@AD<20010629 or @PRAD<20010629 or	US-PGPUB;	
		@RLAD<20010629)) and session near5 configur\$6 with	EPO; JPO; DERWENT;	
		access adj terminal	IBM_TDB	
-	5	(((wireless or cellular or (mobile or portal or portable) adi	USPAT;	2004/09/10 11:11
		device) and session near5 configuration) and	US-PGPUB;	
		(@AD<20010629 or @PRAD<20010629 or	EPO; JPO;	
		@RLAD<20010629)) and session with configur\$6 with access	DERWENT;	
_	276	adj terminal	IBM_TDB	
	2/0	(((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and	USPAT;	2004/09/10 11:41
		(@AD<20010629 or @PRAD<20010629 or	US-PGPUB;	
	i İ	@RLAD<20010629)) and session with configur\$6	EPO; JPO; DERWENT;	
			IBM_TDB	
-	80	((((wireless or cellular or (mobile or portal or portable) adj	USPAT;	2004/09/10 11:37
		device) and session near5 configuration) and	US-PGPUB;	22223
	,	(@AD<20010629 or @PRAD<20010629 or	EPO; JPO;	
	,	@RLAD<20010629)) and session with configur\$6) and	DERWENT;	
	ļ	(status or state or identification or ID or identity) near5	IBM_TDB	
0		configur\$6		

10 ((((wircless or cellular or (mobile or portal or portable) adj device) and session meafs configuration) and ((@AD USPAT; USPGPUB; PCOVIDG29 or (@RAD 2004/09/10 11.4T (USPAT; USPAT; USPAT) (USPAT; USPAT; USP					
BRLAD-20010629) and session with configur\$6) and (status or state or identification or 1D or identify) near5 configur\$6 and (read\$3 or access\$3) near10 (status or state or identification or 1D or identify) near5 configur\$6 (((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD-20010629 or @PRAD-20010629 or @PRAD	-	10	device) and session near5 configuration) and	US-PGPUB;	2004/09/10 11:41
(status or state or identification or ID or identify) near5 configur\$6 and (read\$3 or access\$3) near10 status or state or identification or ID or identify) near5 configur\$6 and (redess or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD-20010629) or @PRAD-20010629 or @P					
configur\$6] and (read\$3 or access\$3) near10 (status or state or identification or 1D or identify) near5 configur\$6 (((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD~20010629 or @PRAD~20010629 or @PRAD~2					
or identification or ID or identify) near5 configur\$6 26 (wireles or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD-20010629) mad session methorigur36 with protocol (((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD-20010629) mad session with configur36 with protocol portal or portable) adj device) and session near5 configuration) and (@AD-20010629 or @PRAD-20010629 or @PRAD-20010629 or @PRAD-20010629) and session with configur36 with protocol port (reads3 or access\$3) near10 (status or state or identification or ID or identify) near5 configur36 1 (session adj configuration adj protocol) and (@AD-20010629 or @PRAD-20010629 or @RLAD-20010629 or @RLAD-20010629 or @RLAD-20010629 or @RLAD-20010629 or @RRAD-20010629 or @				15111_155	
26 (((wireless or cellular or (mobile or portable) adj device) and session near5 configuration) and (@AD~20010629 or @PRAD~20010629 or @PRAD~20010629) and session near5 (origination) and (@AD~20010629) and session method flow in the configur of the protocol (@AD~20010629) and session method flow in the configur of the protocol and (@AD~20010629) and session method flow in the protocol opart (@AD~20010629) and session and configuration alp protocol sond (@AD~20010629) and session and configuration alp protocol and (@AD~20010629) or @PRAD~20010629 or @PRAD~20010629) and session and configuration alp protocol near5 (chang\$3 or session adj configuration adj protocol near5 (chang\$3 or witch\$3 or reconfigur\$5 or swap\$4) and (@AD~20010629 or @PRAD~20010629 or @					
device) and session near's configuration) and (@AD<2010629 or @PRAD<20010629) and session with configur\$6 with protocol ((((wireless or cellular or (mobile or portal or portable) adj device) and session near's configuration) and (@AD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @PRAD<2010629 or @PRAD<2010629 or @PRAD<2010629 or @PRAD<2010629 or @PRAD<2010629 or @PRAD	_	26		USPAT:	2004/09/10 11:40
(@AD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @PRAD<20010629) and session with configur\$6 with protocol 5 (((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @PRAD<20			device) and session near5 configuration) and		
5 ((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629) and session with configur\$6 with protocol) and (read\$3 or access\$3 near10 (status or state or identification or ID or identify) near5 configur\$6 USPAT; USPGPUB; EPC, JPO; DERWENT; IBM_TDB USPAT; or @PRAD<20010629 or @RLAD<20010629 and (@AD<20010629 or @RLAD<20010629 or @RLAD<20010629 or @RLAD<20010629 or @PRAD<20010629 or @PRAD<2				EPO; JPO;	
5			@RLAD<20010629)) and session with configur\$6 with	DERWENT;	
device) and session near5 configuration) and (@AD-20010629 or @PRAD-20010629 or @P					
(@AD=20010629 or @PRAD=20010629 or @RLAD=20010629) and (seasission with configur\$6 with protocol) and (read\$3 or access\$3) near10 (status or state or identification or 10 or identity) near5 configur\$6 1 (session adj configuration adj protocol) and (@AD<20010629 or @PRAD=20010629 or @RLAD=20010629) 784 (manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or switch\$3 or reconfigur\$5 or swap\$4) and (@AD<20010629 or @PRAD=20010629 or @PRA	-	5			2004/09/10 12:07
@RLAD<20010629) and session with configur\$6 with protocol) and (read\$3 or access\$3) near10 (status or state or identification or ID or identity) near5 configur\$6 1 (session adj configuration adj protocol) and (@AD<20010629) 784 (session adj configuration adj protocol) and (@AD<20010629) 784 (manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or switch\$3 or reconfigur\$5 or swap\$4) and (@AD<20010629 or @PRAD<20010629					
protocol) and (read\$3 or access\$3) near10 (status or state or identification or ID or identify) near5 configur\$6 (session adj configuration adj protocol) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629) (manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or switch\$3 or reconfigur\$5 or swap\$4) and (@AD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @PRAD<20010629 or @PRAD<200					
identification or ID or identity) near5 configur\$6 (session adj.configuration adj.protocol) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629) 784 (manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or switch\$3 or reconfigur\$5 or swap\$4) and (@AD<20010629 or @RLAD<20010629		+			
1				IRW_LDR	
or @PRAD<20010629 or @RLAD<20010629) 784 484 784 (manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or switch\$3 or reconfigur\$5 or swap\$4) and (@AD<20010629 or @PRAD<20010629 or @PRAD				LICDAT	0004/004040
- 784 (manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or switch\$3 or reconfigur\$5 or swap\$4) and (@AD<20010629 or @PRAD<20010629	-	1			2004/09/10 12:08
- 784 (manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or switch\$3 or reconfigur\$5 or swap\$4) and (@AD<20010629 or @PRAD<20010629			or @PRAD<20010029 or @RLAD<20010029)		
T84		٠			
Continue					
switch\$3 or reconfigur\$5 or swap\$4) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629) 288 (manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @	-	784	(manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or		2004/09/10 14:05
### PRAD ### 20010629 or @RLAD ### 20010629 or @RLAD ### 2004/09/10 12:12 ### 2004/09/10 12:13 ### 2004/09/10 13:47 ### 2004/09/10 13:47 ### 2004/09/10 13:47 ### 2004/09/10 13:47 ### 2004/09/10 13:47 ### 2004/09/10 13:47 ### 2004/09/10 12:18 ### 2004/09/10 13:47 ### 2004/09/10 12:18 #					2004/03/10 14:03
- 288 (manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @PRAD<30010629 or @P					
- 288 (manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 and (inform or informing or tell\$3 or notifying or notification) near15 (reconfigur\$5 or chang\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or			3		
288					
reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629) 13 ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @PRAD<20010629 or @RLAD<20010629) and (inform or informing or tell\$3 or notifying or notification) near15 (reconfigur\$5 or chang\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (inform or informing or tell\$3 or notifying or notification) near15 (reconfigur\$5) and (@AD<20010629)) and (inform or informing or tell\$3 or notifying or notification) near15 (reconfigur\$5 or chang\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or	-	288	(manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or		2004/09/10 12:12
- 13 ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @PRAD<20010629 or ontifying or notification) near15 (reconfigur\$5 or chang\$3) near5 protocol - 1 ((wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629) or @PRAD<20010629 or @RLAD<20010629)) and (inform or informing or tell\$3 or notifying or notification) near15 (reconfigur\$5 or chang\$3) near5 protocol - 56 (wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or (713/150) or (710/10) or (71		İ	reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or		
- 13 ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or onotifying or notification) near15 (reconfigur\$5 or chang\$3) near5 protocol ((wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @PRAD<20010629 or @PRAD<2001			@RLAD<20010629)	EPO; JPO;	
13					
or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (inform or informing or tell\$3 or notifying or notification) near15 (reconfigur\$5 or chang\$3) near5 protocol 1 ((wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (inform or informing or tell\$3 or notifying or notification) near15 (reconfigur\$5 or chang\$3) near5 protocol 1 (wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) 2 ((wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629					
or @RLAD<20010629)) and (inform or informing or tell\$3 or notifying or notification) near15 (reconfigur\$5 or chang\$3) near5 protocol ((wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629))) and (inform or informing or tell\$3 or notifying or notification) near15 (reconfigur\$5 or chang\$3) near5 protocol (wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @RLAD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @RLAD<20010629 or (710/10) or (714/30) or (714/30) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/10) or (709/230) or (709/200) or (379/93.31) or (379/93.8) or (370/466) or (370/466) or (370/466) or (370/468) or (370/468) or (370/395.5)	-	13	((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3		2004/09/10 13:47
notifying or notification) near15 (reconfigur\$5 or chang\$3) near5 protocol ((wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629))) and (inform or informing or tell\$3 or notifying or notification) near15 (reconfigur\$5 or chang\$3) near5 protocol (wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629 or (714/100) or (714/39) or (714/37) or (714/25) or (710/11) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (370/467) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629		
near5 protocol ((wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629 or informing or tell\$3 or notifying or notification) near15 (reconfigur\$5 or chang\$3) near5 protocol (wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @PRAD<20010629) and (second or another or other or plurality or multiple) adj3 protocol ((714/100) or (714/39) or (714/37) or (710/100) or (710/11) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (370/465) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.5) or (370/395.5) or (370/395.9) or (370/39					
1					
device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629) or and (inform or informing or tell\$3 or notifying or notification) near15 (reconfigur\$5 or chang\$3) near5 protocol (wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @RLAD<20010629)) [County or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629) or @PRAD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @PRAD<20010629 or (2714/13) or (714/13) or (714/13) or (714/13) or (714/125) or (714/1) or (713/151) or (713/150) or (710/10) or (370/385) or (370/469) or (370/395.52) or (370/395.52) or (370/395.52) or (370/395.52) or (370/395.51) or (370/395.0) or (37	_	1		I I I I I I I I I I I I I I I I I I I	2004/00/40 42:40
(chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629))) and (inform or informing or tell\$3 or notifying or notification) near15 (reconfigur\$5 or chang\$3) near5 protocol (wireless or cellular or (mobile or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @PRAD<20010629 or @		'	device) and ((manag\$5 or coordinat\$3) near10 protocol near5		2004/09/10 12:18
@PRAD<20010629 or @RLAD<20010629))) and (inform or informing or tell\$3 or notifying or notification) near15 (reconfigur\$5 or chang\$3) near5 protocol (wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) - 22 ((wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629)) - ((wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @PRAD<20010629 or @RLAD<20010629))) and (second or another or other or plurality or multiple) adj3 protocol ((714/100) or (714/10) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/101) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (370/466) or (370/466) or (370/464) or (370/395.52) or (370/395.5) or ((chang\$3 or reconfigur\$5) and (@AD<20010629 or		
informing or tell\$3 or notifying or notification) near15 (reconfigur\$5 or chang\$3) near5 protocol (wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) - 22 ((wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @PRAD<20010629 or @RLAD<20010629 or another or other or plurality or multiple) adj3 protocol ((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (7710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/93.31) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or			@PRAD<20010629 or @RLAD<20010629\)) and (inform or	DERWENT:	
(reconfigur\$5 or chang\$3) near5 protocol (wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) ((wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @PRAD<20010629 or @RLAD<20010629))) and (second or another or other or plurality or multiple) adj3 protocol ((714/100) or (714/39) or (714/37) or (714/125) or (714/1) or (713/151) or (713/150) or (710/105) or (710/10) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/93.31) or (370/469) or (370/467) or (370/466) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or					
Second Continue			(reconfigur\$5 or chang\$3) near5 protocol		
and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) 22 ((wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629))) and (second or another or other or plurality or multiple) adj3 protocol ((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or	-	56	(wireless or cellular or (mobile or portal or portable) adj device)	USPAT;	2004/09/10 14:07
(chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) 22 ((wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629))) and (second or another or other or plurality or multiple) adj3 protocol ((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or			and ((manag\$5 or coordinat\$3) near10 protocol near5		
((wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629))) and (second or another or other or plurality or multiple) adj3 protocol ((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or			(chang\$3 or reconfigur\$5) and (@AD<20010629 or	•	
((wireless or cellular or (mobile or portal or portable) adj device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629))) and (second or another or other or plurality or multiple) adj3 protocol ((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or			@PRAD<20010629 or @RLAD<20010629))		
device) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629))) and (second or another or other or plurality or multiple) adj3 protocol ((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or			W 251 11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
(chang\$3 or reconfigur\$5) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629))) and (second or another or other or plurality or multiple) adj3 protocol ((714/100) or (714/39) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or	-	22	((wireless or cellular or (mobile or portal or portable) adj		2004/09/10 13:45
@PRAD<20010629 or @RLAD<20010629))) and (second or another or other or plurality or multiple) adj3 protocol ((714/100) or (714/39) or (714/37) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or			(chang\$3 or reconfigur\$5) and (@AD reconfigur\$5)		
another or other or plurality or multiple) adj3 protocol ((714/100) or (714/39) or (714/37) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or			(@AD<20010629 or @PLAD<20040620\\\ ===4/4		
16104 ((714/100) or (714/39) or (714/37) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or			another or other or plurality or multiple) add arctage!	•	
(713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or	-	16104	((714/100) or (714/39) or (714/37) or (714/25) or (714/4) or		2004/00/40 44:57
(710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or		.5.5,	(713/151) or (713/150) or (710/105) or (710/100) or (710/11) or		2004/09/10 14:37
(379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or			(710/8) or (710/1) or (709/230) or (709/200) or (379/93 31) or	JU-I'GFUD	
(370/469) or (370/467) or (370/466) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or			(379/93.28) or (379/93.26) or (379/93.01) or (379/52) or		
or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or			(370/469) or (370/467) or (370/466) or (370/465) or (370/464)		
(370/351) or (370/310.1) or (370/310)), CCLS.			or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or		
			(370/351) or (370/310.1) or (370/310)).CCLS.		

	10.170		T	000 110011 1 10 0
-	13479	(((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 12:34
-	166	((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or switch\$3 or reconfigur\$5 or swap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:33
-	197	((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @RLAD<30010629 or manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or switch\$3 or reconfigur\$5 or swap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:06
-	2	(((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629 or @RLAD<30010629 or @RLAD<30010629 or or (370/310)).CCLS.) and (370/310) or (3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 13:47
-	166	((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or switch\$3 or reconfigur\$5 or swap\$4) and (@AD<20010629) or @PRAD<20010629 or @PRAD<20010629 or @RLAD<20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:05

- 41	(wireless or cellular or (mobile or portal or portable) adj device) and (((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and ((manag\$5 or coordinat\$3) near10 protocol near5 (chang\$3 or switch\$3 or reconfigur\$5 or swap\$4) and (@AD<20010629 or @PRAD<20010629 or @PRAD<20010629 or @RLAD<20010629))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 13:44
- 12960		USPAT; US-PGPUB	2004/09/10 14:57
- 20958		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:02
- 1136	(((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/3) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (manag\$5 or coordinat\$3 or supervis\$3 or monitor\$3 or conduct\$3 or perform\$3) near10 (configuration or protocol) near5 (alter\$5 or chang\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:00
- 7544	switch\$3 or reconfigur\$5 or modif\$7) ((709/220) or (709/221) or (709/222) or (709/227) or (709/228) or (709/230) or (709/239) or (709/250)).CCLS.	USPAT; US-PGPUB	2004/09/10-14:59

	1482	(((((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/3) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or (709/221) or (709/222) or (709/227) or (709/228) or (709/230) or (709/239) or (709/250)).CCLS.) and (manag\$5 or coordinat\$3 or supervis\$3 or monitor\$3 or conduct\$3 or perform\$3) near10 (configuration or protocol) near5 (alter\$5 or chang\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:02
	3377	(configuration of protocol) nears (alters of changs of switch\$3 or reconfigur\$5 or modif\$7) (((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/10) or (710/10) or (710/1) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/733) or (345/700)).CCLS.)) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:02
-	255	(@AD<20010629 or @PRAD<20010629 or @RLAD<20010629) and (((709/220) or (709/221) or (709/222) or (709/227) or (709/228) or (709/230) or (709/239) or (709/250)). CCLS.) ((((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)). CCLS.) or (((719/327)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:05
		or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/100) or (714/3) or (714/2) or (714/1) or (713/100) or (713/1) or (710/10) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/965) or (345/961) or (345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (((709/220) or (709/221) or (709/222) or (709/227) or (709/228) or (709/230) or (709/239) or (709/250)).CCLS.)) and (manag\$5 or coordinat\$3 or supervis\$3 or monitor\$3 or conduct\$3 or perform\$3) near10 (configuration or protocol) near5 (alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7)		

EA.	//////744/400) /744/20) /744/27) /744/25) /714/4) or	LICDAT.	2004/00/40 45:47
54	((((((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/389) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/3) or (714/2) or (714/1) or (713/100) or (713/1) or (710/10) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (((709/220) or (709/221) or (709/222) or (709/227) or (709/228) or (709/230) or (709/239) or (709/250)).CCLS.)) and (manag\$5 or coordinat\$3 or supervis\$3 or monitor\$3 or conduct\$3 or perform\$3) near10 (configuration or protocol) near5 (alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7) adj10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:17
15	(configuration or protocol or connection)).ab,ti. (((((((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/10) or (710/10) or (710/8) or (710/1) or (709/227) or (709/200) or (455/90.2) or (455/73) or (379/434) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or @PRAD<20010629 or (709/221) or (709/221) or (709/222) or (709/227) or (709/228) or (709/230) or (709/239) or (709/250)).CCLS.)) and (manag\$5 or coordinat\$3 or supervis\$3 or monitor\$3 or conduct\$3 or perform\$3) near10 (configuration or protocol) near5 (alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7) adj10 (configuration or protocol or connection)).ab,ti.) and (lost or fail\$3) near10 (channel or link or connection or communication)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:17

				10040 45 5 1
-	903	((((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or	USPAT;	2004/09/10 15:54
		(713/151) or (713/150) or (710/105) or (710/100) or (710/11) or	US-PGPUB;	
		(710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or	EPO; JPO;	
		(379/93 28) or (379/93.26) or (379/93.01) or (379/52) or	DERWENT;	
		(370/469) or (370/467) or (370/466) or (370/465) or (370/464)	IBM_TDB	
		or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or		
		(370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327)		
		or (719/321) or (719/310) or (717/121) or (717/120) or		
		(717/100) or (714/100) or (714/3) or (714/2) or (714/1) or		
		(713/100) or (713/1) or (710/10) or (710/8) or (710/1) or		
		(709/227) or (709/200) or (455/90.2) or (455/73) or (379/434)	ļ	
		(709/227) or (709/200) or (455/90.2) or (455/75) or (575/454)		
		or (379/428.01) or (379/419) or (379/112.05) or (379/112.01)		
		or (379/111) or (370/254) or (345/965) or (345/961) or		
		(345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and		
		(@AD<20010629 or @PRAD<20010629 or		
1		@RLAD<20010629)) or (((709/220) or (709/221) or (709/222)		
	*	or (709/227) or (709/228) or (709/230) or (709/239) or		
		(709/250)) CCLS.)) and ((alter\$5 or chang\$3 or switch\$3 or		
		reconfigur\$5 or modif\$7) adj10 (configuration or protocol or		
		connection)) ab.ti.		
1_	187	((((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or	USPAT;	2004/09/13 13:47
-	107	(713/151) or (713/150) or (710/105) or (710/100) or (710/11) or	US-PGPUB;	
		(710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or	EPO; JPO;	
		(379/93.28) or (379/93.26) or (379/93.01) or (379/52) or	DERWENT;	
		(379/93.26) or (379/93.26) or (379/93.37) or (370/469) or (370/464)	IBM TDB	
		(370/469) or (370/467) or (370/466) or (370/465) or (370/388) or	15.W_155	
		or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or		
		(370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327)		1.4
		or (719/321) or (719/310) or (717/121) or (717/120) or		
		(717/100) or (714/100) or (714/3) or (714/2) or (714/1) or		
	_	(713/100) or (713/1) or (710/10) or (710/8) or (710/1) or		
		(709/227) or (709/200) or (455/90.2) or (455/73) or (379/434)		
		or (379/428.01) or (379/419) or (379/112.05) or (379/112.01)		
İ		or (379/111) or (370/254) or (345/965) or (345/961) or		
		(345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and		
		(@AD<20010629 or @PRAD<20010629 or		
		@RLAD<20010629)) or (((709/220) or (709/221) or (709/222)		
		or (709/227) or (709/228) or (709/230) or (709/239) or		
		(709/250)).CCLS.)) and ((alter\$5 or chang\$3 or switch\$3 or		
		reconfigur\$5 or modif\$7) adj10 (configuration or protocol or		
		connection)).ab,ti.) and (lost or fail\$3) near10 (channel or link		
		or connection or communication)		
			USPAT;	2004/09/10 15:32
-	0	(713/151) or (713/150) or (710/105) or (710/100) or (710/11) or	US-PGPUB;	
	· 1	(713/131) or (713/130) or (710/103) or (710/103) or (710/11) or (710/13) or (7	EPO; JPO;	
		(/10/8) Or (/10/1) Or (/09/230) Or (/09/200) Or (3/9/93.31) Or		
		(379/93.28) or (379/93.26) or (379/93.01) or (379/52) or	DERWENT;	
		(370/469) or (370/467) or (370/466) or (370/465) or (370/464)	IBM_TDB	
		or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or		
		(370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327)		
		or (719/321) or (719/310) or (717/121) or (717/120) or		
		(717/100) or (714/100) or (714/3) or (714/2) or (714/1) or		
		(713/100) or (713/1) or (710/10) or (710/8) or (710/1) or		
		(709/227) or (709/200) or (455/90.2) or (455/73) or (379/434)		
		or (379/428.01) or (379/419) or (379/112.05) or (379/112.01)		
		or (379/111) or (370/254) or (345/965) or (345/961) or		
		(345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and		
		(@AD<20010629 or @PRAD<20010629 or		
		@RLAD<20010629)) or (((709/220) or (709/221) or (709/222)		
	1	(#KLAD^2UU 10029)) 01 (((109/22U) 01 (109/22U) 01 (100/22U) 01 (109/22U) 01 (100/22U) 01 (100/22U) 01 (109/22U) 01 (109/22U) 01 (109/22		
		or (709/227) or (709/228) or (709/230) or (709/239) or		
		(709/250)).CCLS.)) and ((receiv\$3 or detect\$3) adj3		
		(requirement or need) with (alter\$5 or chang\$3 or switch\$3 or		
		reconfigur\$5 or modif\$7) adj10 (configuration or protocol or		
		connection)).ab,ti.		1

0	((((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or (370/469) or (370/467) or (370/466) or (370/465) or (370/464) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310). CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/10) or (710/10) or (710/10) or (710/10) or (713/10) or (710/10) or (710/10) or (710/10) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/735) or (345/734) or (345/733) or (345/700)). CCLS.)) and (@AD<20010629 or @PRAD<20010629 or (709/221) or (709/222) or (709/227) or (709/228) or (709/230) or (709/239) or (709/250)). CCLS.)) and ((receiv\$3 or detect\$3) adj3 (requirement or need) with (alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7 or reestablish\$3) adj10 (configuration or protocol or connection)).ab,ti. ((((((714/100) or (714/39) or (714/37) or (714/25) or (714/15) or (714/	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:32
	((((714/10) or (713/15)) or (710/105) or (710/100) or (710/11) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28) or (379/93.26) or (370/465) or (370/465) or (370/469) or (370/467) or (370/466) or (370/465) or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or (370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327) or (719/321) or (719/310) or (717/121) or (717/120) or (717/100) or (714/100) or (714/10) or (710/10) or (710/10) or (710/10) or (710/10) or (710/10) or (710/10) or (379/428.01) or (379/419) or (379/112.05) or (379/112.01) or (379/111) or (370/254) or (345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and (@AD<20010629 or @PRAD<20010629 or @PRAD<20010629 or (709/221) or (709/222) or (709/227) or (709/228) or (709/239) or (709/250)).CCLS.)) and ((receiv\$3 or detect\$3) with (alter\$5 or chang\$3 or switch\$3 or re-establish\$3 or detect\$3) with (alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7 or reestablish\$3 or re-establish\$3) adj10 (configuration or protocol or connection)).ab,ti.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 13.33

			HODAT	2004/00/40 45:22
-	30	((((((((((((((((((((((((((((((((((((((••••	2004/09/10 15:33
		or (713/151) or (713/150) or (710/105) or (710/100) or (710/11)	US-PGPUB;	
		or (710/8) or (710/1) or (709/230) or (709/200) or (379/93.31)	EPO; JPO; DERWENT;	
		or (379/93.28) or (379/93.26) or (379/93.01) or (379/52) or		
		(370/469) or (370/467) or (370/466) or (370/465) or (370/464)	IBM_TDB	
		or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or		
		(370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327)		
		or (719/321) or (719/310) or (717/121) or (717/120) or		
		(717/100) or (714/100) or (714/3) or (714/2) or (714/1) or		
		(713/100) or (713/1) or (710/10) or (710/8) or (710/1) or		
		(709/227) or (709/200) or (455/90.2) or (455/73) or (379/434)		
		or (379/428.01) or (379/419) or (379/112.05) or (379/112.01)		
		or (379/111) or (370/254) or (345/965) or (345/961) or		
		(345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and		
ļ	1	(@AD<20010629 or @PRAD<20010629 or		
		@RLAD<20010629)) or (((709/220) or (709/221) or (709/222)		
		or (709/227) or (709/228) or (709/230) or (709/239) or		
		(709/250)).CCLS.)) and ((alter\$5 or chang\$3 or switch\$3 or		
		reconfigur\$5 or modif\$7) adj10 (configuration or protocol or		
		connection)).ab,ti.) and (lost or fail\$3) near10 (channel or link		
		or connection or communication)) and ((((((714/100) or		
		(714/39) or (714/37) or (714/25) or (714/1) or (713/151) or		
		(713/150) or (710/105) or (710/100) or (710/11) or (710/8) or		
		(710/1) or (709/230) or (709/200) or (379/93.31) or (379/93.28)		
		or (379/93.26) or (379/93.01) or (379/52) or (370/469) or		
		(370/467) or (370/466) or (370/465) or (370/464) or		
	İ	(370/395.52) or (370/395.5) or (370/395.1) or (370/389) or		
		(370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327)		
		or (719/321) or (719/310) or (717/121) or (717/120) or		
		(717/100) or (714/100) or (714/3) or (714/2) or (714/1) or		
		(713/100) or (713/1) or (710/10) or (710/8) or (710/1) or		
		(709/227) or (709/200) or (455/90.2) or (455/73) or (379/434)		
		or (379/428.01) or (379/419) or (379/112.05) or (379/112.01)		
		or (379/111) or (370/254) or (345/965) or (345/961) or		
		(345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and		
		(@AD<20010629 or @PRAD<20010629 or (700/223)		
		@RLAD<20010629)) or (((709/220) or (709/221) or (709/222)		
		or (709/227) or (709/228) or (709/230) or (709/239) or		
		(709/250)).CCLS.)) and ((receiv\$3 or detect\$3) with (alter\$5		
	į	or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7 or reestablish\$3 or re-establish\$3) adj10 (configuration or		
		protocol or connection)).ab,ti.)		
	32	(((((((714/100) or (714/39) or (714/37) or (714/25) or (714/1) or	USPAT;	2004/09/10 15:54
-	32	((((((/14/100) or (714/39) or (714/31) or (714/25) or (713/151) or (713/150) or (710/105) or (710/100) or (710/11) or	US-PGPUB;	
		(710/8) or (710/1) or (709/230) or (709/200) or (379/93.31) or	EPO; JPO;	
		(379/93.28) or (379/93.26) or (379/93.01) or (379/52) or	DERWENT;	ļ
		(370/469) or (370/467) or (370/466) or (370/465) or (370/464)	IBM TDB	
		or (370/395.52) or (370/395.5) or (370/395.1) or (370/389) or	12	
		(370/351) or (370/310.1) or (370/310)).CCLS.) or (((719/327)		
		or (719/321) or (719/310) or (717/121) or (717/120) or		
		(717/100) or (714/100) or (714/3) or (714/2) or (714/1) or		
		(713/100) or (713/1) or (710/10) or (710/8) or (710/1) or		
		(709/227) or (709/200) or (455/90.2) or (455/73) or (379/434)		
		or (379/428.01) or (379/419) or (379/112.05) or (379/112.01)		
	-1	or (379/111) or (370/254) or (345/965) or (345/961) or		
		(345/735) or (345/734) or (345/733) or (345/700)).CCLS.)) and		
		(@AD<20010629 or @PRAD<20010629 or		
		@RLAD<20010629)) or (((709/220) or (709/221) or (709/222)		
		or (709/227) or (709/228) or (709/230) or (709/239) or		
		(709/250)).CCLS.)) and ((alter\$5 or chang\$3 or switch\$3 or		
		reconfigur\$5 or modif\$7) adj10 (configuration or protocol or		
		connection)).ab,ti.) and (709/250).ccls.		
-	4730	((713/1) or (713/2) or (713/100) or (709/220) or (709/221) or	USPAT;	2004/09/13 13:36
		(709/222)).CCLS.	US-PGPUB	

-	3759	(((713/1) or (713/2) or (713/100) or (709/220) or (709/221) or (709/222)).CCLS.) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/13 13:46
-	15	((((713/1) or (713/2) or (713/100) or (709/220) or (709/221) or (709/222)).CCLS.) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7) adj10 (configuration or protocol or connection).ab,ti. and (lost or fail\$3) near10 (channel or link or connection or communication)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 13:47
-	19	((((713/1) or (713/2) or (713/100) or (709/220) or (709/221) or (709/222)).CCLS.) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (alter\$5 or chang\$3 or switch\$3 or reconfigur\$5 or modif\$7) adj10 (configuration or protocol or connection).ab,ti. and (lost or fail\$3 or broken) near10 (channel or link or connection or communication)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 13:48
-	2	session adj configuration and answer\$3 adj protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 12:33
-	2	session adj configuration and respon\$4 adj protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/14 12:34
-	0	(session adj configuration and respon\$4 adj protocol) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 12:34
-	279	((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:38
-	105	(((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and configuration adj5 (manag\$5 or unit or component)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 14:23
-	0	(((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (fail\$3 or brok\$2 or lost or disconnect\$3 or disrupt\$4) near5 (during or while or when) adj5 initia\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:41
_	0	(((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (fail\$3 or brok\$2 or lost or disconnect\$3 or disrupt\$4) near5 (during or while or when) near15 initia\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:41
-	37	(((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and (fail\$3 or brok\$2 or lost or disconnect\$3 or disrupt\$4) near15 initia\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 13:42
-	19	((((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and configuration adj5 (manag\$5 or unit or component)) and (fail\$3 or brok\$2 or lost or disconnect\$3 or disrupt\$4) near15 initia\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 14:07

-	0	((((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and configuration adj5 (manag\$5 or unit or component)) and (prevent\$3 or avoid\$3) near15 (trap\$4 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 14:23
	2	entrap\$4) (((wireless or cellular or (mobile or portal or portable) adj device) and session near5 configuration) and (@AD<20010629 or @PRAD<20010629 or @RLAD<20010629)) and configuration adj5 (manag\$5 or unit or component) near20 configur\$3 adi10 (terminal or device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/14 14:24